DOOR SCHEDULE

DOOR IS DESIGNATED BY THE ROOM THAT IT SWINGS INTO. THE FIRST DOOR IS LABELED 'A', THE SECOND 'B', ETC. EXTERIOR DOORS ARE DESIGNATED BY THE ROOM THEY SWING OUT OF.

DOOR NO.	DOOR SIZE	DOOR THK.	DOOR TYPE	DOOR MAT'L.	FRM TYP	FRM MTL	GLAZING	FIRE RATING	HDW	NOTES
100 A	10'-0" x 10'-0"	--	OH	AL	--	AL	--	--	--	PROVIDE SLIDE BAR LOCKING DEVICE
100 B	10'-0" x 10'-0"	--	OH	AL	--	AL	--	--	--	PROVIDE SLIDE BAR LOCKING DEVICE
100 C	3'-0" x 7'-0"	1-3/4"	6P	FG	1	FG	TEMPERED LAMINATED	--	1-1-1	
100 D	3'-0" x 7'-0"	1-3/4"	F	SCWD	1	HM	TEMPERED	C LABEL 3/4 HR	2-1-5	
100 E	3'-0" x 7'-0"	1-3/4"	F	SCWD	1	HM	--	--	2-1-5	
101 A	3'-0" x 7'-0"	1-3/4"	N	SCWD	1	HM	TEMPERED	--	2-1-5	
102 A	3'-0" x 7'-0"	1-3/4"	6P	FG	1	FG	TEMPERED LAMINATED	--	1-1-1	
102 B	3'-0" x 7'-0"	1-3/4"	V	SCWD	1	HM	3/4" PLEXIGLASS	--	2-1-4	
103 A	3'-0" x 7'-0"	1-3/4"	F	SCWD	1	HM	--	--	2-1-1	
103 B	3'-0" x 7'-0"	1-3/4"	F	SCWD	1	HM	--	--	2-1-3	
106 A	3'-0" x 7'-0"	1-3/4"	F	SCWD	1	HM	--	--	2-1-1	
106 B	3'-0" x 7'-0"	1-3/4"	F	SCWD	1	HM	--	--	2-1-3	
108 A	3'-0" x 7'-0"	1-3/4"	N	SCWD	1	HM	TEMPERED	--	2-1-2	
108 B	3'-0" x 7'-0"	1-3/4"	BP	SCWD	--	--	--	--	2-1-6	
109 A	3'-0" x 7'-0"	1-3/4"	N	SCWD	1	HM	TEMPERED	--	2-1-2	
109 B	3'-0" x 7'-0"	1-3/4"	BP	SCWD	--	--	--	--	2-1-6	
111 A	3'-0" x 7'-0"	1-3/4"	L	FG	1	FG	--	--	1-1-2	
112 A	3'-0" x 7'-0"	1-3/4"	L	FG	1	FG	--	--	1-1-2	

GENERAL DOOR AND HARDWARE NOTES:

1. ALL THRESHOLDS OF EXTERIOR DOORS SHALL BE NO MORE THAN 1/2" HIGH IN ACCORDANCE W/ THE FLORIDA BUILDING CODE - CHAPTER 11, ON HANDICAPPED ACCESSIBILITY.

2. ALL EXTERIOR DOORS SHALL BE MANUFACTURED IN ACCORDANCE W/ WIND PRESSURES NOTED ELSEWHERE IN THESE DRAWINGS AND WITH THE FLORIDA BUILDING CODE - CHAPTER 16.

3. ALL DOORS TO RECEIVE SILENCERS AND APPROPRIATE FLOOR OR WALL STOP.

DOOR TYPES:



FRAME TYPES:



MATERIAL TYPES:

FG - FIBERGLASS

HM - HOLLOW METAL

SCWD - SOLID CORE WOOD

HARDWARE SETS:

EXTERIOR DOORS

1-1-1 - 3 BUTT HINGES
LOCKSET
THRESHOLD
WEATHERSTRIPPING
CLOSER

1-1-2 - 3 BUTT HINGES
PUSH / PULL
KEY OPERATED DEADBOLT
CLOSER
THRESHOLD
WEATHERSTRIPPING

INTERIOR DOORS

2-1-1 - 3 BUTT HINGES
LOCKSET - PRIVACY FUNCTION

2-1-2 - 3 BUTT HINGES
LOCKSET - OFFICE FUNCTION

2-1-3 - 3 BUTT HINGES
PUSH / PULL
CLOSER

2-1-4 - 3 BUTT HINGES
LOCKSET - CORRIDOR SIDE
NO HARDWARE ON ROOM SIDE

2-1-5 - 3 BUTT HINGES
LATCHSET

2-1-6 - BYPASS DOOR HARDWARE

DESIGN, INC.
913 NORTH NOVA RD.
HOLLY HILL, FL 32117
AA 26000567
PHONE (386) 255-6987
FAX (386) 255-6989

REV#	REVISIONS	DATE

COUNTY OF VOLUSIA
CARDINAL AVENUE LIFEGUARD STATION

CARDINAL AVENUE
ORMOND BEACH, FLORIDA

PJT#:	02209.05
DATE:	9-2-11
DRN BY:	JMW
DGN BY:	JMW
REV BY:	-
SCALE:	-

SHEET

A5.1